

### Safety Data Sheet dated 20/7/2016, version 3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Mixture identification Trade name: CRIS
1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use: Regenerator agent for floors.
Professional use (SU22)
PC31 – Polish and wax mixtures

Uses advised against: Different uses than recommended. Do not use in combination with other products. 1.3. Details of the supplier of the safety data sheet Manufacturer: SUTTER INDUSTRIES s.p.a. - Società con Unico Socio

15060 Borghetto Borbera (AL) Italia Tel. +39 0143 631.1 Competent person responsible for the safety data sheet: regulatory.affairs@sutter.it 1.4. Emergency telephone number +39 0143 631.1 mon-fri 9.00/17.00

#### **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

Warning, Acute Tox. 4, Harmful if swallowed.

Danger, Skin Corr. 1A, Causes severe skin burns and eye damage.

Danger, Eye Dam. 1, Causes serious eye damage.

Aquatic Chronic 3, Harmful to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards 2.2. Label elements Hazard pictograms:



Danger Hazard statements: H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H412 Harmful to aquatic life with long lasting effects. Precautionary statements: P280 Wear eye protection.

54163CLP/3 Page n. 1 of14



P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

#### Special Provisions:

EUH210 Only for professional use. Safety data sheet available on request.

Contents

MAGNESIUMHEXAFLUOROSILICATE

Special provisions according to Annex XVII of REACH and subsequent amendments: None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards

#### **SECTION 3: Composition/information on ingredients**

- 3.1. Substances
  - Not applicable, the product is a mixture
- 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification: >= 20% - < 25% MAGNESIUMHEXAFLUOROSILICATE

REACH No.: 01-2119980031-47, Index number: 009-018-00-3, CAS: 18972-56-0, EC: 241-022-2

- 3.1/3/Oral Acute Tox. 3 H301
- 3.1/4/Inhal Acute Tox. 4 H332
- 3.3/1 Eye Dam. 1 H318
- 4.1/C3 Aquatic Chronic 3 H412

#### >= 5% - < 7% 1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER REACH No.: 01-2119457435-35, Index number: 603-064-00-3, CAS: 107-98-2, EC: 203-539-1

- (a) 2.6/3 Flam. Liq. 3 H226
- (1) 3.8/3 STOT SE 3 H336
- >= 0.5% < 1% PHOSPHORIC ACID
  - REACH No.: 01-2119485924-24, Index number: 015-011-00-6, CAS: 7664-38-2, EC: 231-633-2
  - 2.16/1 Met. Corr. 1 H290
  - 3.2/1B Skin Corr. 1B H314
  - 3.3/1 Eye Dam. 1 H318
- >= 0.25% < 0.5% STEARYL AMINE ETHOXYLATED, ACETIC ACID SALT CAS: 26635-92-7

54163CLP/3 Page n. 2 of14



- 3.2/2 Skin Irrit. 2 H315
- 🟟 🛛 3.3/1 Eye Dam. 1 H318
- 4.1/A1 Aquatic Acute 1 H400

4.1/C1 Aquatic Chronic 1 H410

#### **SECTION 4: First aid measures**

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

- Protect uninjured eye.
- In case of Ingestion:

Do NOT induce vomiting.

- Give nothing to eat or drink.
- In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

Acute effects:

Severe skin and eye irritation for contact.

Irritation interior system if swallowed.

Until revison date of this document, are unknown chronic effects from the mixture contact with skin, eyes, inhalation, ingestion.

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

#### **SECTION 5: Firefighting measures**

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

- None in particular.
- 5.2. Special hazards arising from the substance or mixture

The product does not contain ingredients classified as explosive according to Regulation 1272/2008/EC (CLP).

Do not inhale explosion and combustion gases.

- Burning produces heavy smoke.
- 5.3. Advice for firefighters
  - Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

54163CLP/3 Page n. 3 of14



Move undamaged containers from immediate hazard area if it can be done safely. The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).

#### **SECTION 6: Accidental release measures**

- 6.1. Personal precautions, protective equipment and emergency procedures
  - Wear personal protection equipment.
  - Remove all sources of ignition.

Remove persons to safety. See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

- Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up

Wash with plenty of water. To converge the product in containment tanks.

6.4. Reference to other sections See also section 8 and 13

### **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Store in area dedicated to acid products, keep away from alkalys and chlorine based oxidants. Store away from sunlight.

Store in a cool and well ventilated place.

Do not store in open or unlabeled containers.

Keep away from food, drink and feed.

- Incompatible materials:
- See section 10.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular, see paragraph 1.2

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

Until the revision date of this document, no experimental data are available for the mixture. Below, listed occupational exposure limits, if available, for the components listed in paragraph 3.2.

MAGNESIUMHEXAFLUOROSILICATE - CAS: 18972-56-0

ACGIH - LTE(8h): 2.5 mg/m3 - STE(15min): 5 mg/m3 - Notes: TLV - Fluorine emissions 1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2

EU - LTE(8h): 375 mg/m3, 100 ppm - STE: 568 mg/m3, 150 ppm - Notes: Bold-type: Indicative Occupational Exposure Limit Values [2,3] and Limit Values for Occupational Exposure [4] (for references see bibliography)



ACGIH - LTE(8h): 50 ppm - STE: 100 ppm - Notes: A4 - Eye and URT irr PHOSPHORIC ACID - CAS: 7664-38-2

EU - LTE(8h): 1 mg/m3 - STE(15min): 2 mg/m3 - Notes: Bold-type: Indicative Occupational Exposure Limit Values [2,3] and Limit Values for Occupational Exposure [4] (for references see bibliography)

ACGIH - LTE(8h): 1 mg/m3 - STE: 3 mg/m3 - Notes: URT, eye and skin irr DNEL Exposure Limit Values

Until the revision date of this document, no experimental data are available for the mixture. Below, listed the DNEL exposure limits, if available, for the components listed in paragraph 3.2.

MAGNESIUMHEXAFLUOROSILICATE - CAS: 18972-56-0

Worker Industry: 2.5 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Industry: 2.5 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, local effects

Worker Industry: 2.5 mg/m3 - Exposure: Human Inhalation - Frequency: Short Term (acute)

1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2

Worker Industry: 50.6 mg/kg - Consumer: 18.1 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Industry: 369 mg/m3 - Consumer: 43.9 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 3.3 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects Worker Industry: 553.5 mg/m3 - Exposure: Human Inhalation - Frequency: Short Term, local effects

PHOSPHORIC ACID - CAS: 7664-38-2

Worker Industry: 1 mg/m3 - Consumer: 0.73 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, local effects

Worker Industry: 2 mg/m3 - Exposure: Human Inhalation - Frequency: Short Term, systemic effects

PNEC Exposure Limit Values

Until the revision date of this document, no experimental data are available for the mixture. Below, listed the PNEC exposure limits, if available, for the components listed in paragraph 3.2. MAGNESIUMHEXAFLUOROSILICATE - CAS: 18972-56-0

Target: Marine water - Value: 0.9 mg/l

Target: Fresh Water - Value: 0.9 mg/l

Target: Soil (agricultural) - Value: 11 mg/kg

Target: Microorganisms in sewage treatments - Value: 51 mg/kg

1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS:

107-98-2

Target: Marine water - Value: 1 mg/l

Target: Soil (agricultural) - Value: 4.59 mg/kg

Target: Microorganisms in sewage treatments - Value: 100 mg/l

Target: Marine water sediments - Value: 5.2 mg/kg

Target: Freshwater sediments - Value: 52.3 mg/kg

8.2. Exposure controls

Eye protection:

Use close fitting safety goggles, don't use eye lens.(EN 166)

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton (EN 14605 in case of splashes or EN 13982 in case of dust)

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber. (EN 388 - EN 374 protection factor 6, corresponding to a breakthrough time >480 minutes).

54163CLP/3 Page n. 5 of14



Due to great diversity of types, observe the operating instructions of the manufacturer with respect to substances listed in paragraph 3.2.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

The product is not flammable or explosive - see paragraph 2.1. The product contains no explosive components.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

Environmental exposure controls:

The product is not dangerous for the environment - see section 2.1.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

Appropriate engineering controls:

No further technical checks suitable for your product under normal conditions.

See also section 1.2, section 7 and Exposure Scenario - Annex I of this document.

#### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	Opaque liquid, pink	Visual	
Odour:	Floral	Olfactory	
Odour threshold:	Evident	Olfactory	
pH:	1,5 +/- 0,5	Instrumental control	
Melting point / freezing point:	Not Relevant		Parameter not relevant for the type of product
Initial boiling point and boiling range:	>= 100 °C		Estimated value on chemical / physical properties of components
Flash point:	> 65 ° C		Estimated value on chemical / physical properties of components
Evaporation rate:	Not Relevant		Parameter not relevant for the type of product
Solid/gas flammability:	Not Relevant		Parameter not relevant for the type of product
Upper/lower flammability or explosive limits:	Not Relevant		Parameter not relevant for the type of product
Vapour pressure:	Not Relevant		Parameter not relevant for the type of product
Vapour density:	Not Relevant		Parameter not relevant for the type of product
Relative density:	1.140 g/ml	Instrumental control	
Solubility in water:	Total		internal tests
Solubility in oil:	Partial		internal tests
Partition coefficient (n-octanol/water):	< 1000		Value estimated based on the solubility of the mixture.
Auto-ignition temperature:	Not Relevant		Parameter not relevant for the type of product



Decomposition temperature:	Not Relevant	 Parameter not relevant for the type of product
Viscosity:	< 10 cP	 Estimated indicative value. Not viscous mixture.
Explosive properties:	Not Relevant	 Parameter not relevant for product composition.
Oxidizing properties:	Not Relevant	 Parameter not relevant for product composition.

#### 9.2. Other information

Properties	Value	Method:	Notes:
Miscibility:	Not Relevant		Parameter not relevant for the type of product
Fat Solubility:	Not Relevant		Parameter not relevant for the type of product
Conductivity:	Not Relevant		Parameter not relevant for the type of product
Substance Groups relevant properties	Not Relevant		Parameter not relevant for the type of product

### **SECTION 10: Stability and reactivity**

10.1. Reactivity

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

10.2. Chemical stability

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

10.3. Possibility of hazardous reactions

Store in area dedicated to acid products, keep away from alkalys and chlorine based oxidants. In normal conditions no dangerous reactions of the mixture Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

- See also scetion 7.2.
- 10.4. Conditions to avoid Different uses than recommended. Do not use in combination with other products. See also 1.2 and 7.2
- 10.5. Incompatible materials

Acids, oxygen-based oxidants, peracetic acid, organic substances. Store in area dedicated to acid products, keep away from alkalys and chlorine based oxidants. Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. see also 1.2 and 7.2.

10.6. Hazardous decomposition products

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. Do not use in combination with other products.

- **SECTION 11: Toxicological information** 
  - 11.1. Information on toxicological effects Toxicological information of the mixture:

54163CLP/3 Page n. 7 of14



Until the revision date of this document, are not available experimental toxicological data on the mixture. For the classification of the mixture see section 2.1. Not applicable Toxicological information of the main substances found in the mixture: Below are reported, if available, the toxicological information of the components listed in paragraph 3.2. MAGNESIUMHEXAFLUOROSILICATE - CAS: 18972-56-0 a) acute toxicity: Test: LD50 - Route: Oral = 200 mg/kg Test: LC50 - Route: Inhalation - Species: Rat = 3.6 mg/l - Duration: 4h c) serious eye damage/irritation: Test: Eye Corrosive Positive d) respiratory or skin sensitisation: Test: Skin or Resp. Sensitization Negative g) reproductive toxicity: Test: NOAEC - Species: Rat > 300 ppm i) STOT-repeated exposure: Test: NOAEC - Route: Oral - Species: Rat = 300 ppm 1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat = 4016 mg/kg Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg Test: LC50 - Route: Inhalation - Species: Rat > 25.8 mg/l - Duration: 6h b) skin corrosion/irritation: Test: Skin Irritant - Route: Skin - Species: Rat Negative - Source: OECD 404 d) respiratory or skin sensitisation: Test: NOAEC - Route: Skin - Species: Rabbit > 1000 mg/kg - Source: OECD 410 - Notes: bw/day Test: NOAEC - Route: Inhalation - Species: Rabbit = 1000 ppm - Source: OECD 413 -Notes: bw/day f) carcinogenicity: Test: NOAEC - Species: Mouse = 3000 ppm g) reproductive toxicity: Test: NOAEC - Species: Rat = 1500 ppm - Source: OECD 414 PHOSPHORIC ACID - CAS: 7664-38-2 a) acute toxicity: Test: LD50 - Route: Skin - Species: Rabbit = 2740 mg/kg Test: LD50 - Route: Oral - Species: Rat = 2600 mg/kg - Duration: 2h b) skin corrosion/irritation: Test: Skin Corrosive Yes c) serious eye damage/irritation: Test: Eye Corrosive Yes d) respiratory or skin sensitisation: Test: Skin or Resp. Sensitization Negative e) germ cell mutagenicity: Test: Mutagenesis Negative g) reproductive toxicity: Test: NOAEL - Species: Rat > 410 STEARYL AMINE ETHOXYLATED, ACETIC ACID SALT - CAS: 26635-92-7 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat > 2000 mg/kg



If not differently specified, the information required in Regulation (EU)2015/830 listed below must be considered as Not Applicable:

a) acute toxicity;

b) skin corrosion/irritation;

c) serious eye damage/irritation;

d) respiratory or skin sensitisation;

e) germ cell mutagenicity;

f) carcinogenicity;

g) reproductive toxicity;

h) STOT-single exposure;

i) STOT-repeated exposure;

j) aspiration hazard.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. The environmental hazard of the product are reported in Section 2.1 if applicable. Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

MAGNESIUMHEXAFLUOROSILICATE - CAS: 18972-56-0

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 100 mg/l - Duration h: 96 - Notes: Danio Rerio Endpoint: EC50 - Species: Daphnia = 70.7 mg/l - Notes: Daphnia magna Endpoint: EC50 - Species: Algae = 34.2 mg/l - Duration h: 72 - Notes: Pseudokirchneriella subcapitata

1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 1000 mg/l - Duration h: 96 - Notes: Onchorynchus mykiss

Endpoint: EC50 - Species: Daphnia > 21100 mg/l - Duration h: 48 - Notes: Daphnia magna

Endpoint: EC50 - Species: Algae > 1000 mg/l - Duration h: 168 - Notes: Selenastrum capricornutum

PHOSPHORIC ACID - CAS: 7664-38-2

#### a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Algae > 100 mg/l - Duration h: 72 - Notes: Desmodesmus subspicatus

Endpoint: LC50 - Species: Fish = 75.1 mg/l - Duration h: 96 - Notes: Oryzias latipes Endpoint: EC50 - Species: Daphnia > 100 mg/l - Duration h: 48 - Notes: Daphnia magna

STEARYL AMINE ETHOXYLATED, ACETIC ACID SALT - CAS: 26635-92-7

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Algae > 1000 mg/l - Duration h: 72 - Notes: Pseudomonas putida

Endpoint: LC0 - Species: Fish = 0.5 mg/l - Duration h: 48 - Notes: golden orfe 12.2. Persistence and degradability

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2

Biodegradability: Readily biodegradable - Duration: 28 days - %: 96 - Notes: Test OECD 301



The surfactant(s) contained in this preparation complies with the biodegradability criteria laid down in Regulation (EC) No 648/2004 on detergents. All supporting data are kept available to the competent authorities of the Member States and will be provided to those authorities if they so request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2

Bioaccumulation: Slightly bioaccumulative - Test: BCF - Bioconcentrantion factor <100 12.4. Mobility in soil

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2

Mobility in soil: Mobile

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Other adverse effects

Until the revision date of this document, unknown adverse effects and symptoms towards the environment.

#### **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force. Do not discharge into the ground or into drains. See also section 6

**SECTION 14: Transport information** 



14.1. UN number	
ADR-UN Number:	1760
IATA-UN Number:	1760
IMDG-UN Number:	1760
14.2. UN proper shipping name	
ADR-Shipping Name:	CORROSIVE LIQUID, N.O.S. (magnesiumhexafluorosilicate)
IATA-Shipping Name:	CORROSIVE LIQUID, N.O.S. (magnesiumhexafluorosilicate)
IMDG-Shipping Name:	CORROSIVE LIQUID, N.O.S. (magnesiumhexafluorosilicate)
14.3. Transport hazard class(es)	
ADR-Class:	8
ADR-Label	8
ADR - Hazard identification nu	umber: 80
IATA-Class/Division:	8
IATA-Label:	8



IMDG-Class/Division:	8
IMDG-Label	8
14.4. Packing group	
ADR-Packing Group:	111
IATA-Packing group:	III
IMDG-Packing group:	III
14.5. Environmental hazards	
ADR-Enviromental Pollutant:	No
IMDG-Marine pollutant:	No
14.6. Special precautions for user	
ADR-Subsidiary risks:	-
ADR-S.P.:	274
ADR-Tunnel Restriction Code:	E
IATA-Passenger Aircraft:	852
IATA-Subsidiary risks:	-
IATA-Cargo Aircraft:	856
IATA-S.P.:	-
IATA-ERG:	8L
IMDG-S.P.:	223 274
IMDG-EmS:	F-A , S-B
IMDG-Subsidiary risks:	-
IMDG-Storage category:	Category A
IMDG-Storage notes:	SW2
IMDG-Segregation notes	-
14.7. Transport in bulk according to A	nnex II of Marpol and the IBC Code

## **SECTION 15: Regulatory information**

Not applicable

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) 2015/830 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: None Where applicable, refer to the following regulatory provisions : Regulation (EC) nr 648/2004 (detergents). 1999/13/EC (VOC directive) Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 None

15.2. Chemical safety assessment No, for instructions on safe mangling you see Sections 7 and 8 and the exposure scenario - Annex I of this document.



#### **SECTION 16: Other information**

Full text of phrases referred to in Section 3: H301 Toxic if swallowed. H332 Harmful if inhaled. H318 Causes serious eye damage. H412 Harmful to aquatic life with long lasting effects. H226 Flammable liquid and vapour. H336 May cause drowsiness or dizziness. H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.

> SECTION 3: Composition/information on ingredients SECTION 4: First aid measures SECTION 5: Firefighting measures SECTION 7: Handling and storage SECTION 8: Exposure controls/personal protection SECTION 9: Physical and chemical properties SECTION 10: Stability and reactivity SECTION 11: Toxicological information SECTION 12: Ecological information SECTION 14: Transport information SECTION 15: Regulatory information

The classification of the product is based on conventional calculation method.

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of
	Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EC0/10/20/50/	Effective concentration, for 0/10/20/50/100 percent of test population.
100:	
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of
	Chemicals.

54163CLP/3 Page n. 12 of14



IATA: IATA-DGR:	International Air Transport Association. Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO: ICAO-TI:	International Civil Aviation Organization. Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI: KSt:	International Nomenclature of Cosmetic Ingredients. Explosion coefficient.
LC0/10/20/50/ 100:	•
LD0/10/20/50/ 100:	Lethal dose, for 0/10/20/50/100 percent of test population.
LTE:	Long-term exposure.
NOEC:	No Observed Effect Concentration
NOAEL(R)/N OAEC:	No Observed Adverse Effect Level(Repeated)/Concentration
OECD:	Organisation for Economic Co-operation and Development
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
WGK:	German Water Hazard Class.



### ANNEX I PROFESSIONAL PRODUCT – WAX AND POLISH

Title of exposure scenario		
Polish product: Manual process		
Use description		
Sector Use	SU22 – Professional use	
Product Category	PC31 – Polish and wax mixtures	
Description of activities/process considered on exposure scena	ario.	
Use following the use instruction as specified on the label.		
Leave on.		
Rinse, if necessary.		
Frequency and duration		
Use phase	monthly average use, depending on the surfaces to treat.	
Relevant limit values of ingredients, if available, are stated in section	າ 8 of the SDS.	
Physical appearence and concentration		
Liquid. Ready to use.		
In section 2 of the SDS of product and on the label the classification		
Mixture classification is based on ingredients classification and on c	hemical/physical properties stated in section 9 of the SDS of	
product.		
Use conditions		
Room temperature		
Good general ventilation at workplace is sufficient.		
Protection		
See section 8 of the SDS of product to more information on PPE.	Training of worker to use and maintenance of PPE is supposed.	
Don't eat or drink, don't smoke.	Avoid contact with damaged skin.	
No open flame.	Do not use in combination with other products	
Wash hand after use.		
In case of accidental release: dilute with water and dry.		
See section 6 of the SDS in case of accidental release		
Follow use instruction as specified on the label or on technical sheet. Use good occupational hygiene practices as specified in section 7 on the SDS.		
Environmental measures		
See section 6 of the SDS in case of accidental release		
See section 12 of the SDS for ecotoxicological information of mixture and dangerous ingredients.		
See section 13 of the SDS for disposal considerations.		

Note:

SDS: Safety Data Sheet

PPE: Personal Protection Equipment